



TN - PSC

State Civil Services

Tamil Nadu Public Service Commission

Volume - 1

GENERAL SCIENCE



TAMILNADU PUBLIC SERVICE COMMISSION

GENERAL SCIENCE

S.No.	Chapter Name	Page No.
1.	The Nature of Universe <ul style="list-style-type: none">• Origin of the Universe• Components of the Universe	1
2.	ELECTRICITY <ul style="list-style-type: none">• Electric charge• Electric current• Electric circuit• OHM'S LAW• Resistance• Resistivity• Heating Effect of Electric Current	13
3.	MAGNETISM <ul style="list-style-type: none">• Magnet• Magnetic field• Fleming's Right-Hand Thumb Rule• Electromagnet• Fleming's left-hand rule• Alternate Current• Direct Current	15
4.	LIGHT <ul style="list-style-type: none">• Reflection• Mirror• Refraction• Lens• Dispersion• Applications of Optics	18
5.	SOUND <ul style="list-style-type: none">• Characteristics:• Reflection of Sound:• Echo:• Infrasonic sounds• SONAR• Reverberation:	22
6.	ELECTRONICS AND COMMUNICATION <ul style="list-style-type: none">• Wireless Technology• Different kinds of Wireless Technologies• Recent Advances in India	24
7.	ELEMENTS AND COMPOUNDS <ul style="list-style-type: none">• Elements	29

	<ul style="list-style-type: none"> • Compound: 	
8.	ACIDS, BASES AND SALTS <ul style="list-style-type: none"> • Indicators: • pH scale • Acids • Bases: • Salts: 	30
9.	LIFE SCIENCE - EVOLUTIONS <ul style="list-style-type: none"> • Basic Characteristics of a Living Thing: • Evolutionary history of life • Evolution • Adaptation • Variation • Mutation • Speciation • Extinction 	33
10.	CLASSIFICATION OF LIVING ORGANISMS <ul style="list-style-type: none"> • Classification of Organisms • 5 Kingdom classification 	39
11.	NUTRITION- HEALTH AND HYGIENE <ul style="list-style-type: none"> • Nutrients: • Macronutrients • Nutrition in Amoeba 	51
12.	HUMAN SYSTEM <ul style="list-style-type: none"> • Components: • Ingestion: • Digestion: • Absorption: • Assimilation: • Egestion: • Structure of Human Ear: 	58
13.	DISEASES <ul style="list-style-type: none"> • Diseases Caused By Bacteria: • Diseases Caused By Viruses • Diseases Caused By Protozoans • Diseases Caused By Fungi: 	64
14.	ECOLOGY AND ENVIRONMENT <ul style="list-style-type: none"> • Ecosystem • Components of an Ecosystem • Functions of Ecosystems • Food Chain • Food Web • Ecological Pyramid • CYCLES OF ECOSYSTEM • Classification of Ecosystem • ECOLOGY 	68

- | | |
|---|--|
| <ul style="list-style-type: none">• Levels of Ecological Organisations• Ecotone• Ecological Niche• Ecological Succession• Major Biomes of the world:• BIOSPHERE: | |
|---|--|

1

CHAPTER

The Nature of Universe

Origin of the Universe

Introduction

- The universe is **the vast expanse of space** that surrounds us.
- **Universe:** Everything that exists, including distant stars, planets, and satellites, as well as our own planet and all of its people.
- **Nobody knows** how big the universe is or if it has any limits.
- On the other hand, it is estimated that the Universe has 100 billion galaxies, each with 100 billion stars.
- Our world, Earth, is a microscopic speck in this vast expanse known as the universe, and the **sun**, which supports all life on our planet, is only **one of the billions of stars** that exist in this universe.
- The earth is one of the **eight planets** that orbit the **sun**, which is the **centre** of the solar system.
- The universe's **billions of stars** are not **uniformly distributed** throughout space. These stars form galaxies, which are billions of star clusters (or groupings).

Big Bang theory

- The Big Bang Theory is an **astrophysical model** of the universe that human senses may witness.
- The hypothesis **explains** the **universe's beginnings**, from its earliest forms **to its current evolutions**.
- The Big Bang Theory **explains** the observable phenomena of **radiation**, an abundance of light elements, and large-scale structures in order to explain **how the universe evolved from an initial state** of extremely high density and high temperature.

What is the Big Bang Theory's point of view?

- **After** its first period of **expansion**, the universe **began to cool down**.
- **Allowing** the **production** of **particles** that would eventually **become atoms**.
- **Hydrogen, Helium, and Lithium were the first** elements to condense, resulting in the formation of early stars and galaxies.

Common misconception about the theory:

- It **gives** the **complete origin of the universe** but it **does not** describe the energy, time and space involved in the creation of the universe.
- It only **explains** how the **universe emerged from its initial high-temperature state**.
- The theory **only describes the size of the observable universe** and not the universe as a whole

Pulsating theory

- The **universe is believed** to be **pulsing**, expanding and shrinking alternately, the universe is **currently growing**.


- According to **pulsating theory**, the universe's **expansion** may be **halted** by **gravitational attraction** at some point **in the future**, causing it to **compress** again.
- After it has been **constricted to a particular size**, it will **explode** again, and the **universe will begin to expand**.
- The **pulsating universe** is **created by the universe's parallel expansion and contraction**.

Components of the Universe

Galaxy

- A galaxy is a collection of millions or billions of stars, as well as gas and dust, bound together by gravity. They are the fundamental elements of the universe.
- The tiniest galaxies have roughly 100,000 stars, while the biggest have up to 3000 billion.

Classification of galaxies



Milky Way Galaxy

- It's a **spiral galaxy**, which means it's shaped like one.
- It has a disk-shaped structure with a diameter of roughly 100000 light years.
- Around its centre, the Milky Way galaxy **rotates** gently in a **counter-clockwise manner**.
- The Milky Way galaxy's **centre** is where **all of the stars** (including the sun and the solar system) **rotate**.
- The central star disc is relatively thick, indicating a **dense concentration of stars towards the galaxy's centre**.
- The Milky Way's centre is 27000 light years distant from the sun.
- Because it appears in the night sky like a river of light flowing from one corner to the other, the Milky Way galaxy is known as **Akash Ganga**.

Stars

- Stars, like the sun, are incredibly **hot celestial beings** that generate their **own light**.
- Stars are massive **clouds of hydrogen gas, helium, and dust**.
- Physical parameters such as size, colour, brightness, and temperature are used to classify stars.
- **Star can be divided into three as per their colour and temperature:**
 - **Red:** low surface temperatures
 - **White:** high surface temperatures
 - **Blue:** very high surface temperatures

- Pole (or Polaris), Sirius, Vega, Capella, Alpha centauri, Beta centauri, Proxima centauri, Spica, Regulus, Pleiades, Aldebaran, Arcturus, Betelgeuse, and, of course, the Sun are some of the most notable stars.
- In the night sky, all **stars** (save the pole star) **appear to travel from east to west**, this **apparent motion of the stars** in the sky is caused by the **earth's rotation** on its axis.
- The **monthly locations of the stars fluctuate**, because of the interaction between the **rotation of the earth around its axis and the orbit** of the earth around the sun.

Birth and Evolution of a Star

- **Hydrogen** gas is the **primary raw material** for the formation of stars, with helium gas added in for good measure.
- The **formation of thick clouds of hydrogen and helium gas (i.e. Nebula)** in galaxies is the **beginning of a star's life cycle**.
- The **birth** of stars is caused by the **gravitational collapse** of these too thick **clouds of gases** in the galaxy.




Fig: Evolution of Star

ProtoStar

- A protostar **resembles a star**, but its core is **not heated enough for nuclear fusion to occur**.
 - **Fusion** powers the stars as hydrogen atoms fuse together to form helium, and **matter is converted into energy**.
 - It occurs only when the **initial temperatures** are very **high** – a few million degree Celsius. That is why it is **hard to achieve and control**.
- Protostars are **difficult to view** in the visible spectrum because they are frequently covered by dust, which filters the light they emit.

T Tauri Star

- A very **young, light star** that is still **experiencing gravitational contraction**, less than 10 million years old.
- It is an **intermediate stage** between a **Protostar** and a low-mass main **sequence star** like the Sun.

Main sequence stars of fusion ignition

- **Hydrogen** atoms are **fused** to form **helium** atoms.
- **Main sequence stars** make up the vast **majority** of **stars** in the universe (about 90%).
- A **star like the Sun** swells up to **become a red giant** at the end of its life, **before shedding its outer layers** as a planetary nebula and finally decreasing to become a white dwarf.

Final Stages of a Star's Life

- A star enters the **red-giant phase**, where it becomes a **red-giant star**, in the initial portion of its final stage of existence.
- The **red-giant star** can then **die out** by becoming a **white dwarf star** or exploding as a **supernova star**, resulting in the development of neutron stars and black holes, **depending on its mass**.

Red- Giant Phase

- The **fusion activities** in the core will **end** after **all** of the **hydrogen** in the star's core has been **converted to helium**.
- As a result, the **star's core** would eventually be made entirely of **helium**.
- **Reduced pressure** in the core will eventually **terminate fusion** activities and cause the **core to shrink** under its own gravity.
- **Fusion** processes would continue to liberate energy, albeit at a much lesser intensity, because some hydrogen remains in the star's outer shell or envelope.
- The star's overall balance has been broken as a result of all of these changes, and in order to restore it, the star must expand greatly in its outer regions (outer region).
- As a result, the star grows in size (it becomes a giant), and its colour shifts to red. The star enters the red-giant phase at this point and is referred to as a red giant star. After around 5000 million years, our own star, the sun, will transform into a red-giant star.
- The sun's growing outer shell will eventually engulf the inner planets, such as Mercury and Venus, as well as the earth. When a star enters the red-giant stage, its fate is determined by its starting mass.
 - **Two cases arise:**
 - a) If the **star's initial mass is similar to that of the sun**, the red-giant star loses its growing outer shell and its core shrinks, forming a **white dwarf star** that eventually dies out as a dense lump of matter into space.
 - b) If the **star's original mass is far greater than that of the sun**, the red-giant star that was born from it explodes as a **supernova star**, and the core of the bursting supernova star can shrink to form a neutron star or black hole.

White Dwarf

- A white dwarf is a **tiny hot star** that is at the end of its life cycle, **similar to the Sun**.
 - White dwarfs are the **leftovers of regular stars** that have exhausted their nuclear energy reserves.
 - Due to gravitational influences, white dwarf **consists of degenerate matter with an extremely high density**, i.e. one tablespoon has a mass of many tonnes.
-

NOVA

- In a binary system, it **occurs on the surface of a white dwarf**.
- If the two stars in the system are close enough together, material (**hydrogen**) from the partner star's surface **can be transferred onto the white dwarf**.
- When enough **material accumulates** on the surface of a white dwarf, **nuclear fusion occurs**, resulting in a dramatic brightening of the star.

Supernova

- A supernova is a **star's rapid death** that causes it to brighten to the **brightness of 100 million suns** for a **brief** period of **time**.
- The very bright **burst** of radiation **disperses** most or all of a star's **material at a high velocity**, causing a shock wave to propagate into the interstellar medium.
- These shock waves **cause condensation in a nebula**, opening the way for the formation of a new star. However, **a star must die in order for a new star to be created!**
- Supernovae are **responsible** for a **large amount of primary cosmic rays**.
- **Supernova** Are of two types:
 - **Type-1:** Formed due to triggered runaway nuclear fusion, completely disrupting the star
 - **Type-2:** Formed due to gravitational collapse of the core of a massive star.

Black Dwarf

- A black dwarf is the **last stage** of star development.
- A black dwarf is a **white dwarf that has cooled** to the point that no substantial heat or light is emitted.
- **No black dwarfs are projected to exist** in the universe yet since the time necessary for a white dwarf to achieve this condition is calculated to be greater than the universe's current age

Brown Dwarfs

- Brown dwarfs are objects that are **too big to be planets** but **not big enough to be stars**.
- Brown dwarfs are **considered to develop** from a collapsing cloud of gas and dust in the **same manner as stars do**.
- The **centre** of the cloud, however, is **not thick enough to start nuclear fusion** when the cloud falls.

Neutron Stars

- Neutron stars are stars that **emit neutrons**.
- These stars are mostly **made up of neutrons**.
- **Formed during supernova** pushing protons and electrons to combine to form a neutron star.
- **High density stars** (A sphere with a diameter of merely 20 kilometres can hold three times the mass of the Sun).
- If it has a **larger mass**, and **intensely high gravity** shrinking it even further, eventually becoming a black hole.

Black Holes

- At the end of their lives, **big stars are believed to create black holes**.
 - A black hole's gravitational pull is so strong that nothing, **not even light, can escape it**.
 - A black hole's **matter density can't be measured** (it's infinite!).
-

- Black holes **warp space around them** and can pull nearby objects, including stars, into them.
- **Gravitational lensing**: occurs when light is twisted around a huge object, such as a black hole, causing it to behave as a lens for the objects behind it.

Dark matter

- Dark matter is a kind of matter hypothesised in astronomy and cosmology to account for a significant amount of the **universe's mass that appears to be absent**.
- Dark matter is **invisible to telescopes** because it does not emit or absorb significant amounts of light or other electromagnetic energy.
- **A black hole is not the same as dark matter**. The elements of cold dark matter are currently unknown. It might be a swarm of black holes, a dwarf, or a whole new particle.

The Solar System

- **Age**: 4.6 billion years old
- **Distance**: 27,000 light years from the Milky Way's centre.
- The solar system is made up of the **sun, eight planets and their satellites**, as well as thousands of other celestial bodies such as **asteroids, comets, and meteors**.
- The **sun**, which is at the **centre of the solar system**, revolves around all of these bodies.
- The sun's **gravitational influence maintains** the whole **solar system** rotating around it, as well as all planets and other objects.
- As a result, the sun's **gravitational pull determines** the **velocity** of all solar system **components**.
- The solar system revolves around the sun. Nearly **99.9% of the matter in the solar system originates from the sun**.
- The **sun** is the **source of all energy** in the solar system.

Sun

- **Age**: 4.6 billion years.
- **Diameter**: 1.39 million km.
- **Temperature**: 6000 °C on surface
 - **Temperature of Sun's core**: 16 million °C
- **Density**: 1.41 times that of water.
 - **Density of water** = 999.97 kg/m³ = ~ 1 g/cm³;
 - **Density of Iron** = 7870 kg/m³.
- **Rotation time**: 25 days and 9 hours.
- **Rotational speed**: 7179.73 km/h.
 - The **earth's rotational velocity** is 1675 kilometres per hour.
- **Mass**: 3,32,900 times of Earth masses.
- The solar system, or solar family, revolves around the sun. When compared to the millions of other stars, the sun is a medium-sized star with an average brightness.
- **Distance**: 150106 kilometres away from Earth
- **Speed of Light**: 300,000 kilometres per second.

- **Time taken by light to reach earth:** 8 minutes and 20 seconds.
- **Time taken by light to reach earth from the closest star, proxima centauri :** 4.3 light years.




Fig:Internal structure of Sun

- The sun is a **hot sphere of gaseous matter**.
- **Hydrogen gas** makes up the majority of it.
- **Nuclear fusion** (the conversion of hydrogen to helium) at the sun's core **produces** a vast amount of energy in the form of **heat and light**, resulting in the **shining of the Sun**.
- From Earth, we can only get a glimpse of the sun's surface.
 - The **sun's shining surface** is known as the **photosphere**.
 - The photosphere appears to us as a brilliant disc, and it is also referred to as the **sun's disc**.
 - The **photosphere emits energy** and provides a source of energy for humanity.
- The **corona** is the thin, heated gases that make up the **outer layer of the sun's atmosphere**. The corona is **only visible during a total solar eclipse**.

Internal Structure and Atmosphere of the Sun

- **Internal structure:** The convection zone, The radiative zone, The core,
- **External Atmosphere:** The photosphere, chromosphere, and corona
- **The Photosphere:**
 - The photosphere is the **Sun's hot outer layer**, which emits the majority of its energy.
- **The Chromosphere:**
 - The chromosphere is a **small layer of burning gases** that sits just **above** the **photosphere**.
- **The Corona**
 - It is an **atmosphere of plasma** that surrounds The Sun and other celestial bodies.
 - The corona of the Sun stretches millions of kilometres into space and may be viewed best during a total solar eclipse.
- **Plasma**
 - Plasma is one of the **fundamental forms of matter** present, Solid, liquid, and gas are the other three.
 - Plasma is an **ionised gas** (atoms and molecules are often transformed to ions by removing one or more electrons from the outer shell).
 - **Lightning and electric sparks** are common examples of **plasma events**.

- **The Sunspots:**
 - A sunspot is a **black area** on the surface of the Sun.
 - Because sunspots are **500-1500°C colder** than the surrounding **chromosphere**, they **appear as black regions**.
 - The **lifespan** of a single sunspot varies from a **few days to a few months**.
 - Each area has a **black umbra** in the centre and a **lighter penumbra** surrounding it.
- **Solar Flares:**
 - **Magnetic anomalies** cause solar flares to form on the sun's surface.
 - They're **magnetic storms** that seem like brilliant spots with a **gaseous explosion on the surface**.
 - When solar flares **pass over the corona**, they heat the gas to temperatures ranging from 10 to 20 million °C.
- **Solar Winds:**
 - The solar wind is a stream of **charged particles**, mainly **electrons and protons**, that is ejected from the Sun at speeds of up to **900 km/s** and a temperature of **one million degrees** (Celsius).
 - **Plasma** is used to make it (ionised atoms).
- **Effects of Solar winds– Aurora**
 - An aurora is a **natural light show** in the sky that is most commonly observed in **high latitudes** (Arctic and Antarctic). (This is due to the earth's magnetic field lines and the solar wind.)
 - Aurora is mainly **caused by Charged particles**, mostly **electrons and protons**, entering the atmosphere from above, **creating ionisation** and **excitation** of atmospheric elements, as well as **visual emissions**.
- **Effect of Solar wind — Some planets have atmospheres, while others don't.**
 - When **solar wind particles** with a **well-developed magnetic field** reach the planet they are **deflected**.
 - The **magnetosphere** is a zone that causes particles to travel the globe instead of assaulting the atmosphere or surface.
 - On the side **facing the Sun**, the **magnetosphere** is generally shaped **like a hemisphere**, while on the **opposite side, it is extended out in a lengthy trail**.
 - The **magnetopause** is the region's border, and certain **particles** are able to **infiltrate** the magnetosphere through it due to partial reconnection of **magnetic field lines**.
 - The **magnetosphere's overall shape** is determined by the **solar wind**.
 - Furthermore, **planets** with a **weak or non-existent magnetosphere** are **prone to solar wind** atmospheric stripping.

Planets




Fig: The solar system

- A planet is a **celestial body** that **orbits** a **star** in an **elliptical path**.
- The planets of our solar system are divided into **two groups**:
 - The **planets of the inner circle** or **inner planets** or the '**terrestrial planets**':
 - Mercury, Venus, Earth and Mars
 - They have smaller and denser bodies
 - ✓ **Mercury(Buddh):**
 - The **smallest** and **closest** to the sun.
 - **Distance from Sun:** 57.91 million km
 - **Orbital period:** 87.97 Earth days,(Shortest)
 - **Length of day:** 58d 15h 30m
 - ✓ **Venus (shukr):**
 - **Brightest** planet in the solar system(**morning/ evening star**)
 - Rotates in **anticlockwise direction**
 - The **hottest** planet in the Solar System due to high concentration of CO₂ and thick atmosphere.
 - **Distance from Sun:** 108.2 million km
 - **Orbital period:** 225 days
 - **Length of day:** 116d 18h 0m
 - ✓ **Earth(Prithvi):**
 - Only known celestial object to host and sustain life.
 - **Distance from Sun:** 149.6 million km
 - **Age:** 4.543 billion years
 - **Orbital period:** 365 days
 - **Natural Satellite:** MOON
 - ✓ **Mars(Mangal):**
 - **Red Planet:** Presence of iron oxide on surface
 - **Length of day:** 1d 0h 37m
 - **Distance from Sun:** 227.9 million km
 - **Orbital period:** 687 days
 - **Natural satellites:** Phobos, Deimos
 - The **planets of the outer circle** or **outer planets** or the '**gas giant planets**' or the **Jovian planets** – Like-Jupiter.
 - Jupiter, Saturn, Uranus, and Neptune
 - They have a greater size and less dense materials.
 - They usually have a thick atmosphere, consisting of helium and hydrogen.
 - **Jupiter(Brhaspati):**
 - ✓ The latest probe to visit Jupiter is **Juno**.
 - ✓ **Largest planet** of the solar system
 - ✓ **Length of day:** 0d 9h 56m
 - ✓ **Distance from Sun:** 778.5 million km
 - ✓ **Age:** 4.603 billion years

- ✓ **Orbital period:** 12 years
- ✓ **Natural satellites:** Io, Europa, Ganymede, and Callisto(called the Galilean satellites because Galileo discovered them.)
- **Saturn (shani)**
 - ✓ **Saturn's rings** are probably made up of billions of **particles of ice and ice-covered rocks.**
 - ✓ **Length of day:** 0d 10h 42m
 - ✓ **Distance from Sun:** 1.434 billion km
 - ✓ **Orbital period:** 29 years
 - ✓ **Moons:** Titan, Enceladus, Mimas, Tethys, etc.
 - ✓ **Titan** is the **second-largest moon** in the Solar System (larger than Mercury)
 - ✓ **Only satellite** in the Solar System with a **substantial atmosphere** (nitrogen-rich).
- **Uranus(arun)**
 - ✓ **Rotates** in clockwise direction i.e opposite of the sun's rotation.
 - ✓ **Length of day:** 0d 17h 14m
 - ✓ **Distance from Sun:** 2.871 billion km
 - ✓ **Orbital period:** 84 Years
 - ✓ **Natural satellites:** Miranda, Ariel, Umbriel, Titania, and Oberon.
- **Neptune(Varun)**
 - ✓ **Farthest** known planet
 - ✓ Uranus and Neptune are called **Twin planets.**
 - ✓ **strongest sustained winds** (2,100 km/h) of any planet in the Solar System found here.
 - ✓ **Length of day:** 0d 16h 6m
 - ✓ **Distance from Sun:** 4.495 billion km
 - ✓ **Orbital period:** 165 years
 - ✓ **Natural satellites:** Triton, Hippocamp, Proteus, Nereid, etc.

Asteroids

- The asteroid belt is a **ring of asteroids** .
- **Planetary leftovers** that orbit the Sun in the region **between Mars and Jupiter.**
- These **leftovers failed to consolidate** due to Jupiter's **gravitational influence.**
- These are mostly made up of **refractory stony and metallic materials, with some ice.**
- Asteroids might be **hundreds of kilometres wide or microscopic in size.**
- **Except for Ceres, all asteroids** are considered as **tiny** Solar System bodies.
- **Ceres** : The **largest asteroid** (946 km in diameter), a protoplanet, and a dwarf planet.
- **Kuiper Belt:** A **circumstellar disc in the outer Solar System** that spans 30 AU from Neptune's orbit to around 50 AU from the Sun.

Comets

- An **ice tiny Solar System body** that warms up due to solar radiation begins to **release gases** (called Outgassing) producing a **visible atmosphere or coma, and sometimes also a tail.**
- **Planets** have **near-circular orbits**, whereas **comets** have very **elliptical orbits.**

- They are made up of microscopic fragments of **stony and metallic minerals held together by frozen gases** (water, ammonia, methane, and carbon dioxide).
- **Short-period comets** with an **orbital period of 100 years** generally **originate** in the **Kuiper belt**.
- **Long period comets** orbits of **thousands of years**, come from the more distant **Oort Cloud**.
 - **Oort cloud** is a giant shell of icy bodies that **encircle the solar system** occupying space at a distance between 5,000 and 100,000 AU.
- The orbit of **Halley's Comet** brings it close to the Earth every **76 years**. It was last visited in **1986**.

Meteoroid, Meteor and Meteorite




Fig: Meteoroid, Meteor and Meteorite

- **Meteoroid:** Any **solid debris** originating **from asteroids**, comets, or other astronomical objects that **drifts across interplanetary space**.
- **Meteor:** A **flash of light** that emerges in the sky when a **meteoroid hits the atmosphere** (mesosphere) at a high speed and **burns up due to friction**. sometimes known as a 'shooting star' or a 'falling star.'
- **Meteorite:** situations in which the **meteoroid does not entirely burn up** and lands on the surface of the Earth.
 - A **meteorite crater** is a circular **depression generated on the earth's surface** as a result of a **meteorite impact**.
 - Meteorite impacts are prevalent on all of the solar system's planets and moons.
 - The most **visible meteorite craters** may be seen on the **Moon and Mercury's surfaces** (because they are geologically inactive due to a negligible atmosphere).
- The **World's Largest Meteor Crater:** 1,300 metres deep Arizona(US).It dates back over 10,000 years.
- **Meteorite craters in India**
 - **Lonar Lake** (1.8 km in diameter) in Buldhana District of **Maharashtra**.
 - **Dhala crater** (14 km in diameter) in Shivpuri district, **Madhya Pradesh**.
 - **Ramgarh crater** (3.5 km in diameter) is a **potential meteorite** crater in Kota plateau in **Rajasthan**.

Meteor Showers

- **Meteors** are **Particles of rock and ice** that are Released by comets as they Move in their orbits around the sun.
- **Meteor showers**, on the other hand, **occur when the Earth passes through a comet's or asteroid's debris track**.

- A **meteorite** is a **meteor** that has landed **on Earth**, while a **meteor shower** is a **group of meteorites** that have **collided at the same time**.
- The **resistance by the atmosphere** causes the **space rock to become extremely hot** as it approaches the Earth, and while passing through the atmosphere it leaves behind a **streak of hot luminous gas** that is visible to onlookers rather than the rock itself.



2

CHAPTER


ELECTRICITY

- A controllable and convenient **form of energy** used in homes, schools, hospitals, industries, etc for operating devices.

Electric charge

- **Fundamental unit of electricity** (without charge, no electricity).
- **2 types:** Positive & Negative.
- **SI Unit:** Coulomb

Electric current



- **Rate of flow of electric charges.**
- **Caused by moving electrons** through a conductor.
- **Flows in the opposite direction** to the **movement of electrons.**

$$I = \frac{Q}{t} \text{ Where,}$$


I = Electric current

Q = Electric charge

t = time

- **Unit - ampere (A)**
- **Measured:** Ammeter

Electric circuit



- **Closed conducting path** through which **current flows.**

Potential Difference

- **Work done to move a unit charge from one point to the other** within an electric field.

$$V = \frac{W}{Q}$$

- **SI unit:** volt (V)
- **When the cell is connected to a conducting circuit element**, the potential difference sets the charges in motion in the conductor and produces an electric current.

OHM'S LAW


- **Potential difference** between **two points** is **directly proportional** to **electric current**, at a **constant temperature**.

$$V \propto I$$

$$V = RI$$

$$I = V/R$$

- Here, R is the constant k/a resistance.



Resistance

- **Property** of a conductor to **resist flow of charges** through it.
- **SI Unit:** Ohm (Ω).

1 Ohm of resistance (R)

Equal to flow of 1A of current through a conductor between two points having a potential difference equal to 1V.

Factors on which Resistance of a Conductor depends:

1. Nature of Material:

- **Conductors & insulators.**
- **Silver** - best conductor of electricity.

2. Length of Conductor:

- **Resistance increases** with **increase** in **length** of the conductor.

3. Area of Cross Section:

- **Resistance decreases** with an **increase** in **area** of conductor and **vice versa**.

Resistivity

- **Resistance offered by a cube of a material of side 1m when current flows perpendicular to its opposite faces.**
- **SI unit** - ohm-meter (Ωm).
- **aka** specific resistance.
- **Depends** on the **nature** of the **material** of the conductor.
- **Varies** with **temperature**.

Heating Effect of Electric Current


- **When electric current passes** through a **purely resistive conductor**, **energy** of electric current is **dissipated** entirely in the **form of heat** and as a result, **resistor gets heated**.
- **Eg.** light bulb

3

CHAPTER

MAGNETISM


Magnet



- An **object that attracts objects** made of **iron, cobalt and nickel**.
- **Use:**
 - in refrigerators.
 - in radio and stereo speakers.
 - in audio and video cassette players.
 - in children's toys and;
 - on hard discs and floppies of computers.
- **Properties:**
 - A **freely suspended magnet** always **points** towards **north** and **south** direction.
 - **Pole** which points **toward north** direction - **north pole**.
 - **Pole** which points **toward south** direction - **south pole**.
 - **Like poles repel** each other while **unlike poles attract** each other.

Magnetic field

- **Influence of force surrounding a magnet.**
- **Force exerted** by a magnet in a magnetic field **detected using a compass** or any **other magnet**.
- **Represented by magnetic field lines.**



- A **quantity** that has **both direction** and **magnitude**.
- **Properties:**
 - **Inside magnet** - direction of field lines- **south pole to north pole**. Thus magnetic field lines are **closed curves**.
 - **Relative strength** of magnetic field is **shown by degree of closeness of field lines**.
 - **No two field-lines cross** each other.